

## **MATERIAL SAFETY DATA SHEET**

### **ISO-AMYL ALCOHOL AR MSDS CAS: 123-51-3**

#### **Section 1: Chemical Product and Company Identification**

##### **Section 1: Chemical Product**

**Product Name:** ISO-AMYL ALCOHOL AR

**CAS#:** 123-51-3

**C.I. No.:** Not available.

**Synonym:** Isobutyl carbinol

**Chemical Name:** 3-Methyl-1-butanol

**Chemical Formula:** (CH<sub>3</sub>)<sub>2</sub>CHCH<sub>2</sub>CH<sub>2</sub>OH

**Brand:** OXFORD

##### **Details Of The Supplier Of The Safety Data Sheet:**

**Company identification:** OXFORD LAB FINE CHEM LLP  
Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,  
Navghar, Vasai (East). Palghar - 401 210.  
Mumbai, Maharashtra, INDIA.  
Tel: 91-250-2390989  
Tel/Fax: 91-250-2390032

#### **Section 2: Composition and Information on Ingredients**

##### **Composition:**

Name	CAS #	% by Weight
Isoamyl alcohol AR	123-51-3	100

**Toxicological Data on Ingredients:** Isoamyl alcohol: ORAL (LD50): Acute: 1300 mg/kg [Rat.].  
DERMAL (LD50): Acute: 3212 mg/kg [Rabbit.].

## Section 3: Hazards Identification

**Potential Acute Health Effects:** Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation.

**Potential Chronic Health Effects:** Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation. **CARCINOGENIC EFFECTS:** Not available. **MUTAGENIC EFFECTS:** Not available. **TERATOGENIC EFFECTS:** Not available. **DEVELOPMENTAL TOXICITY:** Not available

## Section 4: First Aid Measures

### **Eye Contact:**

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

### **Skin Contact:**

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

### **Serious Skin Contact:**

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

### **Inhalation:**

Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

### **Serious Inhalation:**

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### **Ingestion:**

Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

**Serious Ingestion:** Not available.

## Section 5: Fire and Explosion Data

**Flammability of the Product:** Flammable.

**Auto-Ignition Temperature:** 350°C (662°F)

**Flash Points:** CLOSED CUP: 42.78°C (109°F). OPEN CUP: 45.6°C (114.1°F) (Cleveland).

**Flammable Limits:** LOWER: 1.2% UPPER: 9%

**Products of Combustion:** These products are carbon oxides (CO, CO<sub>2</sub>).

**Fire Hazards in Presence of Various Substances:** Flammable in presence of open flames and sparks, of heat.

**Explosion Hazards in Presence of Various Substances:** Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:** Flammable liquid, soluble or dispersed in water. **SMALL FIRE:** Use DRY chemical powder. **LARGE FIRE:** Use alcohol foam, water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.

**Special Remarks on Fire Hazards:** Combustible. Vapor may travel considerable distance to source of ignition and flash back. When heated to decomposition it emits acrid smoke and fumes.

**Special Remarks on Explosion Hazards:** Not available.

## Section 6: Accidental Release Measures

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

**Large Spill:** Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

## Section 7: Handling and Storage

**Precautions:** Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes Keep away from incompatibles such as reducing agents.

**Storage:** Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. Keep container dry. Keep in a cool place.

## Section 8: Exposure Controls/Personal Protection

**Engineering Controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

**Personal Protection:** Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

**Personal Protection in Case of a Large Spill:** Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** TWA: 100 STEL: 125 (ppm) from ACGIH (TLV) TWA: 361 STEL: 452 (mg/m<sup>3</sup>) from ACGIH Consult local authorities for acceptable exposure limits.

## Section 9: Physical and Chemical Properties

**Physical state and appearance:** Liquid. (Liquid.)

**Odor:** Disagreeable and choking.

**Taste:** Pungent.

**Molecular Weight:** 88.15 g/mole

**Color:** Colorless.

**pH (1% soln/water):** 7 [Neutral.]

**Boiling Point:** 132°C (269.6°F)

**Melting Point:** -117.2°C (-179°F)

## Section 9: Physical and Chemical Properties (continued)

**Critical Temperature:** Not available.

**Specific Gravity:** 0.81 (Water = 1)

**Vapor Pressure:** 2 mm of Hg (@ 20°C)

**Vapor Density:** 3 (Air = 1)

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water, methanol, diethyl ether.

**Solubility :** Easily soluble in methanol, diethyl ether. Soluble in cold water, hot water.

## Section 10: Stability and Reactivity Data

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Not available.

**Incompatibility with various substances:** Reactive with reducing agents.

**Corrosivity:** Non-corrosive in presence of glass.

**Special Remarks on Reactivity:** Not available.

**Special Remarks on Corrosivity:** Not available.

**Polymerization:** No.

## Section 11: Toxicological Information

**Routes of Entry:** Dermal contact. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:**

Acute oral toxicity (LD50): 1300 mg/kg [Rat.]. Acute dermal toxicity (LD50): 3212 mg/kg [Rabbit.].

**Chronic Effects on Humans:** Not available.

**Other Toxic Effects on Humans:** Hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation.

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** Narcotic effect; may cause nervous system disturbances.

**Special Remarks on other Toxic Effects on Humans:** Material is irritating to mucous membranes and upper respiratory tract.

## Section 12: Ecological Information

**Ecotoxicity:** Not available.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The products of degradation are more toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## Section 13: Disposal Considerations

Waste Disposal:

## Section 14: Transport Information

### Land transport (ADR-RID)

<u>Proper shipping name</u>	: PENTANOLS
<u>UN N°</u>	: 1105
<u>H.I. nr</u>	:30
<u>ADR – Class</u>	:3
<u>Labelling – Transport</u>	: 3 : Flammable liquid.
<u>ADR – Group</u>	: III

### Sea transport (IMDG) [English only]

<u>Proper shipping name</u>	: PENTANOLS
<u>UN N°</u>	: 1105
<u>IMO-IMDG - Class or division</u>	: 3 : Flammable liquid.
<u>IMO-IMDG - Packing group</u>	: III

### Air transport (ICAO-IATA) [English only]

<u>Proper shipping name</u>	: PENTANOLS
<u>UN N°</u>	: 1105
<u>IATA - Class or division</u>	: 3 : Flammable liquid.
<u>IATA - Packing group</u>	: III

## Section 15: Other Regulatory Information

### Federal and State Regulations:

**Pennsylvania RTK:** Isoamyl alcohol **Massachusetts RTK:** Isoamyl alcohol **TSCA 8(b) inventory:** Isoamyl alcohol

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### **WHMIS (Canada):**

**CLASS B-3:** Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

#### **DSCL (EEC):**

**R10- Flammable. R36/38- Irritating to eyes and skin.**

#### **HMIS (U.S.A.):**

**Health Hazard: 1**

**Fire Hazard: 2**

**Reactivity: 0**

**Personal Protection: h**

#### **National Fire Protection Association (U.S.A.):**

**Health: 1**

**Flammability: 2**

**Reactivity: 0**

#### **Specific hazard:**

**Protective Equipment:** Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

## **Section 16 - Additional Information**

**References:** Not available.

**Other Special Considerations:** Not available.

### ***Disclaimer:***

\*\*\*\*\*

**The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.**

**Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.**