

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## MATERIAL SAFETY DATA SHEET

### HYDROBROMIC ACID 48% AR

MSDS CAS: 10035-10-6

#### Section 1: Chemical Product and Company Identification

##### Section 1: Chemical Product

**Product Name:** HYDROBROMIC ACID AR

**CAS#:** 10035-10-6

**Synonym:**

**Chemical Name:** Not available.

**Chemical Formula:**

**Molecular Weight:** Not available

**Brand:** OXFORD

##### Details Of The Supplier Of The Safety Data Sheet:

**Company identification:** OXFORD LAB FINE CHEM LLP  
Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,  
Navghar, Vasai (East). Palghar - 401 210.  
Mumbai, Maharashtra, INDIA.  
Tel: 91-250-2390989  
Tel/Fax: 91-250-2390032

#### Section 2: Composition and Information on Ingredients

##### Composition:

Name	CAS #	% by Weight
HYDROBROMIC ACID	10035-10-6	100

**Toxicological Data on Ingredients:** Hydro bromic acid, 48% LD50: Not available. LC50: Not available

## Section 3: Hazards Identification

### Potential Acute Health Effects:

Extremely hazardous in case of skin contact (corrosive, irritant), of eye contact (irritant), of ingestion, of inhalation. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

### Potential Chronic Health Effects:

Extremely hazardous in case of skin contact (corrosive, irritant), of eye contact (irritant), of ingestion, of inhalation.

**CARCINOGENIC EFFECTS:** Not available. **MUTAGENIC EFFECTS:** Not available.

**TERATOGENIC EFFECTS:** Not available.

**DEVELOPMENTAL TOXICITY:** Not available. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated or prolonged inhalation of vapors may lead to chronic respiratory irritation.

## Section 4: First Aid Measures

### Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

### Skin Contact:

If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, protecting your own hands and body. Place the victim under a deluge shower. If the chemical got on the victim's exposed skin, such as the hands: Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

## Section 4: First Aid Measures (continued)

### **Serious Skin Contact:**

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

**Inhalation:** Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

### **Serious Inhalation:**

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. **WARNING:** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

### **Ingestion:**

Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

**Serious Ingestion:** Not available

## Section 5: Fire and Explosion Data

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** Not applicable.

**Explosion Hazards in Presence of Various Substances:**

**Risks of explosion of the product in presence of mechanical impact:** Not available. **Risks of explosion of the product in presence of static discharge:** Not available.

**Fire Fighting Media and Instructions:** Not applicable.

**Special Remarks on Fire Hazards:** Not available.

**Special Remarks on Explosion Hazards:** Not available

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 6: Accidental Release Measures

### Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

### Large Spill:

Corrosive liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.

## Section 7: Handling and Storage

### Precautions:

Keep container dry. Do not breathe gas/fumes/ vapour/spray. Never add water to this product In case of insufficient ventilation, wear suitable respiratory equipment if you feel unwell, seek medical attention and show the label when possible. Avoid contact with skin and eyes.

### Storage:

May corrode metallic surfaces. Store in a metallic or coated fiberboard drum using a strong polyethylene inner package. Corrosive materials should be stored in a separate safety storage cabinet or room.

## Section 8: Exposure Controls/Personal Protection

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

## Section 8: Exposure Controls/Personal Protection (continued)

### Personal Protection:

Face shield. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent.  
Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available

## Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid. (Fuming liquid.)

Odor: Pungent. (Strong.)

Taste: Acid. (Strong.)

Molecular Weight: Not available.

Color: Clear Colorless.

pH (1% soln/water): Not available.

Boiling Point: Not available.

Melting Point: Not available.

Critical Temperature: Not available.

Specific Gravity: 1.5 (Water = 1)

Vapor Pressure: Not available.

Vapor Density: 2.8 (Air = 1)

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water, methanol, acetone.

### Solubility:

Easily soluble in cold water, hot water, methanol. Soluble in acetone.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 10: Stability and Reactivity Data

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Not available.

**Incompatibility with various substances:** Not available.

**Corrosivity:**

Extremely corrosive in presence of steel, of aluminum, of zinc. Highly corrosive in presence of copper. Corrosive in presence of stainless steel (304), of stainless steel (316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:** Not available.

**Special Remarks on Corrosivity:** Not available.

**Polymerization:** No

## Section 11: Toxicological Information

**Routes of Entry:** Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:**

LD50: Not available. LC50: Not available.

**Chronic Effects on Humans:** The substance is toxic to lungs, mucous membranes

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 11: Toxicological Information (continued)

**Other Toxic Effects on Humans:** Extremely hazardous in case of skin contact (corrosive, irritant), of ingestion, of inhalation.

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** Not available.

**Special Remarks on other Toxic Effects on Humans:** Not available.

## Section 12: Ecological Information

**Eco toxicity:**  
Not available.

**BOD5 and COD:**  
Not available.

**Products of Biodegradation:**  
Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:**  
The products of degradation are as toxic as the original product.

**Special Remarks on the Products of Biodegradation:**  
Not available

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 13: Disposal Considerations

### Waste Disposal:

## Section 14: Transport Information

### Land transport (ADR-RID)

General information : Not regulated.

### Sea transport (IMDG) [English only]

General information : Not regulated.

### Air transport (ICAO-IATA) [English only]

General information : Not regulated.

## Section 15: Other Regulatory Information

**Federal and State Regulations:** No products were found.

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

**Other Classifications:**

**WHMIS (Canada):**

**CLASS D-2A:** Material causing other toxic effects (VERY TOXIC). **CLASS E:** Corrosive liquid.

**DSCL (EEC):** R35- Causes severe burns.

**HMIS (U.S.A.):**

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

**Personal Protection:**

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:**

**Gloves. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent.**

**Wear appropriate respirator when ventilation is inadequate. Face shield**



# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 16 - Additional Information

**References:** Not available.

**Other Special Considerations:** Not available

### *Disclaimer:*

\*\*\*\*\*

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990

**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com

**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals